

## X-Series. Nothing Else Comes Close.


X700 Series mowers excel at maintaining medium size, highly landscaped areas.

With a tight turning radius, precise handling and mid mounted superior mulch-capable decks mowing around flowerbeds, trees or shrubs is a delight.

Just another fringe benefit of choosing John Deere.



**Durability**  
Every component, like this heavy duty commercial grade hydrostatic transaxle, is designed to maximise long term strength.



**High Torque Engine**  
The high torque 61.8 Nm diesel engine in the X740 and X748 is liquid cooled for greater reliability. Efficient combustion reduces exhaust emissions and increases fuel economy. High energy glow plugs ensure quick starts in cold weather.



**Traction**  
Four wheel drive on the X748 ensures outstanding performance. The differential allows smooth turning and provides power to the drive wheels with less traction loss. Works in forward and reverse.



**Comfort**  
With a deluxe seat, low effort controls and remarkable Twin Touch pedals that follow the natural motion of your foot; it's never been so easy to work so hard.

X-Series	X740	X748 (4WD)
<b>Engine type</b>	Yanmar Diesel	Yanmar Diesel
Rated Engine hp (ISO)	17.9 kW (24 hp)	7.9 kW (24 hp)
97/68/EC @ rated engine rpm		
Max. torque (Nm)@rpm	62@2300	62@2300
Cylinders	3	3
Displacement (cc)	1116	1116
Fuel Capacity (ltr)	24.6	24.6
<b>Transmission</b>	Hydrostatic	Hydrostatic
Differential Lock	Standard	Standard
Cruise Control	Standard	Standard
Brakes	Internal wet disc	Internal wet disc
Travel speeds at max engine rpm (km/h)	0 – 13.7	0 – 13.7
Hydraulics	2 dual SCV's	2 dual SCV's
Tyre size front	18x8.50-10	18x8.50-10
Tyre size rear	26x12-12	26x12-12
<b>Controls</b>		
Steering	Power Steering	Power Steering
PTO engagement	Electro-hydraulic	Electro-hydraulic
Deck lift	hydraulic	hydraulic
<b>Dimensions</b>		
Length overall (m)	1.9	1.9
Wheelbase (m)	1.4	1.4
Height overall (seat) (m)	1.3	1.3
Weight (net w/o Fuel) (kg)	453	525

Decks				
Discharge	48C Side Discharge	54C Side Discharge	60RD Rear Discharge	62C Side Discharge
Cutting Width m (in)	1.22 (48)	1.37 (54)	1.52 (60)	1.57 (62)

#### Commercial deck choice

Long grass doesn't stand a chance with the Edge Cutting System. Choose from 4 different decks and change from side discharge and mulching in seconds. Even in wet conditions, the deep mowing decks provide a superior cut, with increased mower blade overlap to ensure every blade of grass is cut even when turning.



#### Material Collection System MCS 580L – 580H

- 600 litre material collection capacity
- High Dump 1.76 m (69 in)
- Hydraulic lock on trap to provide maximum sealing when operated
- Easy, one person installation
- Optional: 3 bag bagger power flow, 500 ltr.

For more information, please see the X700 brochure.

## The Power to Make It Happen.

Although sized to easily park in garages or sheds, the 2000 TWENTY Series has the durable “big-tractor” features you expect: a full Category 1 three-point hitch and heavy duty axles for higher loads. Both models come with standard 4WD, two-pedal automatic transmissions, high hydraulic flow for powering loaders and features like standard cruise control and folding Roll-Over Protective Structures.

The 3000 and 4000 TWENTY Series have a standard digital performance tracking system, standard 4WD and an amazing LoadMatch power management system to maximise performance in every application. While comforts like automotive-style controls, smooth transmissions, standard high-back seats and tilt-steering maximise your performance. No wonder they outclass every other tractor in their class.

### Sound of Silence

Protect yourself from the elements with this roomy, comfortable cab. Enjoy plenty of leg room and excellent visibility. Silence is golden with a mere 81 dB(A) for 3000 and 79 dB(A) for 4000 TWENTY Series.



### Sophisticated hydraulic system

Instead of one single hydraulic pump that divides flow between steering and a hydraulic implement such as a loader, these units split the functions, ensuring that the steering always gets the oil it needs and the implement does, too.

### Mid-Mount Mower Decks

Excellent airflow and vacuuming for a clean cut. On 2000 Series, decks are equipped with a pin-based On Ramp drive-on, drive off system. On 3000 Series, just drive over and the drive shaft will be connected automatically.

### Material Collection System

The high capacity 345H with 800/1200 litre capacity or the 580L and 580H with 600 or 850 litre capacity material collection system leaves behind a flawless finish. Plus, no leaving the seat to empty the hopper.



**Front Hitch/PTO**  
For easy front attachment hook up, there is a front Hitch and a front PTO available.



**Powerful Engines**  
Liquid-cooled diesel engines are specifically designed to deliver low-end lugging power to pull heavy loads and move earth.



**Easy transmission controls**  
TwinTouch Transmission Pedals make it easy to switch from forward to reverse and let you rest your heel on the platform the whole time you drive.

Deck fits	2320	2520/2720	2000 Twenty Series	3000 Twenty Series	3000/4000 Twenty Series
Discharge	54" Side Discharge	60" Rear Discharge	62" Side Discharge On Ramp	60" Side Discharge 7-Iron II	72" Side Discharge 7-Iron II
Cutting Width m (in)	1.37 (54)	1.52 (60)	1.57 (62)	1.52 (60)*	1.83 (72)*

\*Not compatible with Galaxy fine turf tyres.

For more information, please see the Compact Utility Tractors brochure.